


Fjord 40 Cruiser



Specification

| | |
|-----------------|---|
| LOA | 11,99 m |
| Beam | 3,99 m |
| Diesel Capacity | approx. 1.000 |
| Water | approx. 300 l approx. |
| Displacement | 9,5 t |
| CE Category | B |
| Speed | approx. 30 – 40 knots |
| Engine | 2 x 330 HP IPS 450 + IPS Joystick 2 x 370 HP IPS 500 + IPS Joystick 2 x 435 HP IPS 600 + IPS Joystick |
| Design | Watervision |
| Interior | Allseas Design Design Unlimited |



Measurements and weights are preliminary.
Modifications and errors reserved.

F40C/C/GB/0210 All specifications and prices are preliminary and can be changed without prior warning. Above specifications are non contractual. Valid 2010.02.08.

<https://dynamicboats.com>

HanseYachts AG | Salinenstraße 22 | D-17489 Greifswald
www.fjordboats.com



FJORD 
A BRAND OF THE HANSEGROUP

Standard equipment Fjord 40 Cruiser "Acropora"

Hull

- Epoxy built hull with prepreg fibreglass fabrics, vacuum bagged with corecell™ foam, Postcured
- White hull with grey (RAL 7043) waterline - Bulkheads laminated to hull and deck - Waterline laid in the gelcoat - Stringers and floors - Zinc anodes
- Interceptors

Deck

- White deck and Coach roof
- Polyester sandwich Construction
- Stainless split pulpit w / stanchions
- GRP sandwich construction
- Teak on aft deck and swim platform
- Teak on side deck and fore deck
- 56 mm wide teak planking throughout

Deck Equipment

- Self-draining anchor-locker with lockable hatch
- 6 Mooring cleats
- Shower warm & cold on aft deck
- Integrated handrails on hardtop roof
- Concealed extractable swim ladder
- Deck skylights
- Windshield wipers
- Storage for fenders and rope
- Large lazarette
- Flag socket
- Aft. deck sun roof (canvase)
- Teak / stainless steps / starboard
- Upholstery: sunbrella grey
- Hydraulic Anchor

Technical System

- Tank
- Fresh water capacity approx. 340 l
- Water filler (side deck)

Hot Water

- 20 l hot water heater, running from engine or immersion heater 230 V

- Pumps** - Electric pressurised water system - Shower in head

Draining Pumps

- Bilge pumps
- 1 manual bilge pump
- 2 electric bilge pumps

Toilet/Head

- Holding tank

Engine

- Engine 2 x 330 HP Volvo Penta IPS 400 diesel engines
- IPS Joystick
- Fresh water cooling
- Fuel tank 1000 l
- Fuel fill on deck
- Fuel filter / Water separator
- Engine room fully sound insulated
- Automatic fire extinguisher system

Steering System

- Volvo drive by wire

Electrics

- 12 V and 230 V electrical circuits
- Shore power 230 V incl. safety switch

Battery Charger

- 12 V Battery charger + 3000 Watt Inverter

Batteries

- Main battery switch
- 2 x 100 Ah engine
- 2 x 100 Ah service

12 V Electric Control Panel

- 12 V Outlet
- Battery gauge
- Fresh water gauge

230 V Electric Panel

- Safety switch
- 230 V Outlet
- Separate switch for hot water heater

Interior Lighting

- in Master Cabin
- in Guest Cabin
- Low level courtesy lights
- in Saloon
- in Galley
- in Head

Navigation Lights

- Navigation lights
- Anchor light

Galley

- Corian™ work surface
- Sink w/•faucet
- 3-flame gas cooker with oven
- Locker and drawers
- Fridge
- Trash can

Interior Accommodation

- Solid and veneered timber interior throughout
- Wood / sandwich door
- Interior lights and stairlights
- Soft headlinings
- Fitted carpet
- Hull blinds

Upholstery

- Mattresses and cushions of foam
- Cotton cream

Master Cabin

- Separated from saloon by a door
- Double-berth
- Combined locker
- Hanging locker
- Shelves above berth
- Opening hatch

Guest Cabin

- Separated from saloon by a door
- Twin berth
- Combined locker
- Shelves

- Opening portlight
- Seat w/•storage

Saloon

- Tempered form glass windows
- Windshield ventilated
- Companionway steps
- L-shaped sofa and chair on starboard
- Convertible outside / inside saloon dining sofa
- Armchair
- 4-part sliding glass door
- Dining table / coffee table
- Lockers and shelves / bar locker
- Opening hatches
- Convertible double sofabed
- Half drop window / stb. at steering console

Pilot Position

- Tacho meter x 2
- Engine hour meter x 2
- Volt meter x 2
- Oil pressure gauge x 2
- Temp gauge x 2
- Fuel gauge x 2
- Horn
- 12 volt outlet
- Emergency fuel cut x 2
- Fire extinguisher
- Stainless steel handrails

Head / Bath

- Electr. marine toilet
- Ceramic surface mounted wash hand basin
- Large head compartment with shower stall w / foldable door
- Black water holding tank
- Electric drain pump
- Mirror
- Locker & shelves
- Opening portlight w / blinds
- Corian™ tops

<https://dynamicboats.com>

HanseYachts AG | Salinenstraße 22 | D-17489 Greifswald

www.fjordboats.com



FJORD 

A BRAND OF THE HANSEGROUP

Extra equipment Fjord 40 Cruiser “Acropora”

- Underwater lights
- Half drop window
- Airmar P319-P17 Depth Transducer
- Airmar ST850-P17 Speed Temp Transducer
- Airmar P79 Depth Transducer sonar
- Bioinox Venere Hydraulic Gangway 2
- Climma Compact 16 RC Quattro Air conditioner
- Climma Compact 7 RC Quattro Air conditioner
- Custom SS swimming ladder with base cups stb & psd
- Eberspacher Heater
- Fischer Panda 5KVA Generator with RC
- Gobius 4 Holding tank gauge
- Guest Search Light with remote pan/tilt with RC
- Jabsco 37202-2012 Shower drain pump
- Black leather upholstery for salon sofa
- LG MH6387TL/O1 Microwave oven
- Origo 200 Ceramic Stove
- Parker 500FG 227l/h diesel fuel filter
- Platform Fjord 600 Platform extension
- Raymarine Ray240 VHF
- Raymarine ST70 Autopilot Control
- Raymarine SPX Autopilot 2009
- Raymarine ST60 Tri Data Instrument
- Raymarine E120 MFD with (GNSS)
- Raymarine HD Radom RAdio Detection And Ranging
- Sony RCD With RC
- SSH Stailess steel K1/C97.DO/E31 Hydraulic System for anchor arm and hatch
- Sterling Remote Charger remote control and monitor
- Tecnicomar Minimar 600 PL Desalinator with RC
- TV Grundig
- TV lift
- Volvo Penta IPS500 Engines
- Volvo Penta Joystick

<https://dynamicboats.com>

HanseYachts AG | Salinenstraße 22 | D-17489 Greifswald

www.fjordboats.com



FJORD 

A BRAND OF THE HANSEGROUP