




































- Bench with storage for fenders and ropework
- Electric folding roof with dual canvas over aft deck
- Large electrically openable sunroof Side door from
- helm position Wide. lowered side decks ensure safe
- movement around the entire wheelhouse



- Bathing platform with integrated anchor solution
- Large setee with storage
- 6.85 sq m aft deck
- Pantry with oven, cooking facilities, double sink and possibility of 32' TV at the back
- 10] Reversible seatback in the salon
- 11] Double helm seat
- 12] Large cargo space below deck
- 131 Bed size 140x215
- 14] Bed size 135x200
- 15] Storage space below the sole
- 16] Separate shower room
- 17] Bed size 160x200





Technical data:

Crew,CE/DesignCategoryB......14pers Berths.....2+2+2 Length.......11,9m Beam.......3,8m Total height mast & rudder stem......3,80m Weight std. equipped, lightship......8650kg Bridge clearance excl. mast, std equipped, lightship.....3,15m Bridge clearance w/mast, std. equipped, lightship......4,10m Tank capacity diesel......900 liter Tank capacity cold water......400 liter Tank capacity hot water......50 liter Tank capacity waste water......155 liter Engine installation......Doublem/V-gearorDrive

DNV·GL



Values may vary depending on equipment and adaptations.

Skilsø 39 Fly

18] Large and spacious flybridge with option or seperate sunbed, aft. Social and practical setee with reversible seatback



Total height, exl. mast & rudder stem	4,20m
Total height, incl. mast & rudder stem	5,70m
Weight, std. equipped, lightship	9450kg
Draft, max load	1,20m
Bridge clearance.excl. mast. std equipped, lightship	3,50m
Bridge clearance w/mast, std. equipped, lightship	4,70m
Values may vary dependingonequipmentandadaptations.	



Postadresse: Postboks 33, N-5321 Kleppestø NORWAY
Bank Nordea 6515.06.01902 Org.nr NO948126648MVA
www.viknes.no

